

# Energy performance certificate (EPC)

UNIT 1 Zagros Building Ethel Terrace Castletown SUNDERLAND SR5 3BQ	Energy rating  C	Valid until: 20 December 2032  Certificate number: 4947-0346-3348-9351-7472
---	------------------------	---

Property type	Restaurants and Cafes/Drinking Establishments/Takeaways
---------------	---


Total floor area	185 square metres
------------------	-------------------

## Rules on letting this property

Properties can be let if they have an energy rating from A+ to E.

## Energy efficiency rating for this property

This property’s current energy rating is C.



Properties are also given a score. The larger the number, the more carbon dioxide (CO2) your property is likely to emit.

## How this property compares to others

Properties similar to this one could have ratings:

If newly built	28   B
----------------	--------

If typical of the existing stock	110   E
----------------------------------	---------

Properties are given a rating from A+ (most efficient) to G (least efficient).

## Breakdown of this property's energy performance

Main heating fuel	Natural Gas
Building environment	Heating and Natural Ventilation
Assessment level	3
Building emission rate (kgCO <sub>2</sub> /m <sup>2</sup> per year)	93.65
Primary energy use (kWh/m <sup>2</sup> per year)	600

## Recommendation report

Guidance on improving the energy performance of this property can be found in the [recommendation report \(/energy-certificate/6815-7674-1835-6627-8131\)](#).

## Contacting the assessor and accreditation scheme

This EPC was created by a qualified energy assessor.

If you are unhappy about your property's energy assessment or certificate, you can complain to the assessor directly.

If you are still unhappy after contacting the assessor, you should contact the assessor's accreditation scheme.

Accreditation schemes are appointed by the government to ensure that assessors are qualified to carry out EPC assessments.

### Assessor contact details

Assessor's name	George Smith
Telephone	07756529827
Email	<a href="mailto:gsmith0_1@hotmail.com">gsmith0_1@hotmail.com</a>

### Accreditation scheme contact details

Accreditation scheme	Stroma Certification Ltd
Assessor ID	STRO000595
Telephone	0330 124 9660
Email	<a href="mailto:certification@stroma.com">certification@stroma.com</a>

### Assessment details

Employer	DG Surveys
Employer address	14 Markington Drive, Ryhope, Sunderland, SR2 0LB
Assessor's declaration	The assessor is not related to the owner of the property.
Date of assessment	20 December 2022
Date of certificate	21 December 2022

---